



ecore[™] | commercial
flooring

Wellness Program

Rolled Rubber, Square Tile, Interlocking Tile, Sport Flooring

800-825-1221 www.continentalflooring.com



GS-03F-001BA
Contract Holder

OMNIA
PARTNERS



Available Open Market, Formal Bid or Cooperative Contact




ECONights

ECONights is the perfect surface for basic strength and cardio applications. Its superior slip resistance and nominal 3/8" thickness make it a durable solution for high impact spaces. Rolls and tiles are available in 10 different color options, delivering unmatched durability and design options to enhance any high-energy environment.

Specifications:

- Product Type: Rolls and Interlocking Tiles
- Dimensions: Rolls – 8mm x 48" (1.2m) x 25 linear feet (7.62m) Interlocking Tiles – 8mm x 23" (58cm) x 23" (58cm)



TOTAL ECLIPSE

626




MR. SLATE 10

652



BLUE MOOD 10

653




RED HOTS 10

654




FISH FOOD

610C




MILKY WAY

617



BIG BANG BLUE

629A




CHUNKY MUNKY

648A



MONSTER'S INK

650B



SPACE NUT

655

Wellness Program patterns are provided for design inspiration. Actual samples and final product may vary from color swatches shown.



Standard Colors

ECOfit • ECOfit Plus


ECOMax • ECOsmash

See below for standard color options available for ECOfit, ECOfit Plus, ECOMax, and ECOsmash.




TOTAL ECLIPSE

626



MR. SLATE 20

601



BLUE MOOD 20

602




RED HOTS 20

620



BEDROCK

806



GRAVEL ROCK

808



MOONROCK

812



MRS. DOUBTFIREPLACE

1209




ACTION

1213



TAKE ONE

1214



FINAL CUT

1216




GULF SHORES

2605



DESERT PALM

2606



BEACH GLASS

2607

800-825-1221

continentalflooring.com | info@continentalflooring.com

ECOfit

Whether a traditional health and fitness application or an active work environment, ECOfit is an 8.2mm engineered surface that provides enhanced performance while mitigating fatigue and the risk of injury.

View Standard Colors for color options.

Visit EcoreCommercial.com for minimum order quantities, format, and technical information.

Specifications:

- Product Type: Rolls
- Dimensions: 8.2mm (3.2mm+5mm) x48" (1.2m) x 25 linear feet (15.24m)



ECOFIT

ECOfit Plus

ECOfit Plus absorbs impact force while returning energy and encourages people to stand on the balls of their feet. This prevents compression in the back and legs. This 15.2mm product is available in glue down rolls or adhesive-free interlocking tiles.

View Standard Colors for color options.


Visit EcoreCommercial.com for minimum order quantities, format, and technical information.

Specifications:

- Product Type: Rolls and Interlocking Tiles
- Dimensions: Rolls – 15.2mm (3.2mm + 12mm) x 48" (1.2m) x 25 linear feet (7.62m)
Interlocking Tiles – 15.2mm x 23" (58cm) x 23" (58cm)



ECOFIT PLUS



ECOmax

ECOmax is a square, 1-inch beveled tile featuring a patented footed system, designed specifically for use in weight rooms. ECOmax provides enhanced acoustical performance by absorbing the energy of weight impacts.

Specifications:

- Product Type: Tiles
- Dimensions: Tiles – 1" (25.4mm) x 24" (610mm) x24" (610mm)

View Standard Colors for color options.

Visit EcoreCommercial.com for minimum order quantities, format, and technical information.

FITturf

FITturf features a dense, textured nylon wear layer fusion bonded to a 5mm composition rubber backing. While too abrasive to fall or dive on, this consistent and tight surface is ideal for all footwork drills as well as sled work. FITturf coordinates well with ECOfit and can withstand light to moderate free weights.

Specifications:

- Product Type: Rolls
- Dimensions: 8mm (3.2mm + 5mm) x 72" (1.2m) x 35 linear feet (10.67m)



FITTURF

FITturf Plus

FITturf Plus is available in rolls or interlocking tiles and features a nylon wear layer fusion bonded to a 12mm composition rubber backing. This surface simulates natural turf and offers a portable/temporary turf system.

Specifications:

- Product Type: Rolls and Interlocking Tiles
- Dimensions: Rolls – 15mm (3.2mm + 12mm) x 72" (1.2m) x 25 linear feet (7.62m)
Interlocking Tiles – 15mm x 23" (58cm) x 46" (116cm)



FITTURF PLUS



ECOsmash

This 2-foot by 2-foot by 2.5-inch molded composition rubber tile is designed for areas requiring extreme durability, ultimate noise reduction, and shock absorption. ECOsmash also addresses the challenges of structure-borne noise from weight drops in mixed-use buildings.

Specifications:


- Product Type: Tiles
- Dimensions: 2.5" (63.5mm) x 24" (610mm) x 24" (610mm)

View Standard Colors for color options.

Visit EcoreCommercial.com for minimum order quantities, format, and technical information.

Sustaining Ability Through Performance Surfaces The Wellness Program

ECOsmash is designed for areas where extreme durability and ultimate noise reduction are required. ECOsmash mitigates shock and sound by absorbing impact while protecting the floor below.



ECOfit was designed to provide ample impact insulation as well as comfort underfoot with a focus on dynamic energy return while mitigating fatigue and the risk of injury.

Using Ecore's patented itstru technology, **ECOfit Plus** was designed with ergonomics in mind by creating the perfect balance of force reduction & energy restitution while providing impact insulation.

Rx is a collection designed to meet the unique maintenance and hygienic demands of group fitness, while offering the desirable ergonomic, acoustic, and safety demands required by all fitness applications.

800-825-1221

continentalflooring.com | info@continentalflooring.com

Wellness Program

ecore | Commercial



Can a floor
do more?
Yes.



Since 1871, Ecore has been transforming reclaimed materials into performance surfaces that make people's lives better. What started with simple cork closures has evolved into a diverse portfolio of products solving complex problems in applications ranging from playgrounds, weight rooms and turf fields to hospitals, hotels and retail environments. We are driven everyday by a simple question, "Can a floor do more?" At Ecore, we believe the answer is "YES." We are building our company and the products we offer based on the simple notion that floors should elevate beyond current expectations. Our energy is focused on the interaction between people and the surface. We engineer performance

well beyond industry standards related to acoustics, ergonomics and safety. Harvesting the unique power from a myriad of waste streams, Ecore creates products that align—substantial force reduction with a balanced amount of energy restitution to create dynamic surfaces that are tailored to the individual and the application.

People will fall... we will be there to catch them!
Professionals will overwork their bodies... we will soften the blow!
Footfall sounds will keep someone awake... we will quiet the noise!



ecore | Built by Yes.

800-825-1221

continentalflooring.com | info@continentalflooring.com